## **Punjab Agro Juices Limited**

(A State Government Undertaking)

Plot No-2A, Sector 28-A, Chandigarh. Phone: 0172-4640060, E-Mail: pajlchd@yahoo.co.in, Website: www.punjuice.in

Punjab Agro Juice Ltd Chandigarh, a special purpose vehicle established by Punjab Government, and having two Multi Fruit and Vegetable processing units in Punjab, at Hoshiarpur and Abohar. Following materials are required for processing season 2014-2015 at its plants.

(1.) Resin 2500 Ltr (2). Aseptic Bag 5000 nos, 20 Ltr 2500 nos, 3 Ltr 1000 nos. .(3) Pet Coke 1000 MT(4.) Empty M.S Drums new/once used 5000 nos (5) Carton Box 2500 nos (6.) Wax for citrus Fruits 2000 Ltr

Interested parties with an excellent track record of supplies made to such processing units may send their rate quotation in sealed envelops seperately to the undersigned up to 1.12.2014. Management reserves the right to reject any or all the bids without assigning any reason. Detailed specification of the material to be supplied can be downloaded from our website <a href="www.punjuice.in">www.punjuice.in</a>. For further inquiries and clerifications, may contact Sh S K Rana, Plant Head, Abohar. Mobile no. 98722-20430

.

Chairman

## Specification of Material for tender

Sr. No.	Name of the Items	Parameters	Specification
1.	Aseptic Bags (220 liters) 20 Ltr, 3 Ltr,	Spout location	Outer100+/-20mm
		Width	Outer 920+/-10mm Inner890mm
		Length	Outer 1620+/-20mm Inner 1575mm
		Weight	583g
2.	MS Drum new/ Once used	Thickness	1.25mm
		Capacity	210 liters
		Dimension	Top chime to bottom chime 885mm-889mm
		Interior Dia	572mm+/-3mm
		Weight	18 kg+/-10%
		Closer	Locking ring with nuts & bolt to screw closer  1. 50mm  2. 20mm
		Inside coating	Epoxy Lacquer/ Enamel
		Outside coating	Enamel (one coat)
		Top gasket	Rubber
		Color	Dark green
3	Resin		Tulision ADS 400 for
			debittering of Citrus fruit
4	CFB Carton boxes for packing of kinnows		Internal dimension= 443x23 +_ 5 mm Style = Flat Material - 5 ply CFB Direction of flute -Vertical Grammage ( g'm2) =
			180x150x150x150x150 Bursting Strength= 12 Puncture Ressiatance= 145 Manufacturing Joint = Glupasting/stapling Pin(
			min.4 pairs rust free) Cobb(30min)gm/m2 = Max.90 Compression Strength( kg) = 360 (min) No of ventiliation hol =2 hole diameter 20mm each on long side & oblong slits for handling 60mmx18 mm

		on the short side.  Type of adhesive for fluting  = Starch( approved food grade)  Off set Printing = Two clor orange& green
		Separate Sheet: = 3 ply 120x120x120x to fit base inner with 9 ventiliation holes diameter 20 mm each
5	Pet Coke	CaCO3-95% ( Calcium carbonate) CaO-60% ( Valcium Oxcide) MgO-0.16( Magnesium Oxcide)
6	Wax for citrus fruits	Citrashine , EEC W2 Wax containing anti mould product in 200 kg drum